

RFQ No/ Project

Reference Datasheet

Equipment Tag Numbers

Quantity

Quick Opening Closure



Certificates & Standards



Configuration



☐ -Quick Opening Closure RX1 Bayonet Type



☐ -Quick Opening Closure RX2 Segmental Lock Type

SIZE:

☐ -6" ☐ -8" ☐ -10" ☐ -12" ☐ -14"

☐ -16" ☐ -18" ☐ -20" ☐ -24" ☐ -26"

☐ -28" ☐ -30" ☐ -32" ☐ -34" ☐ -36"

Other Size

PRESSURE WARNING SCREW AND HARDWARE MATERIAL:

☐ CARBON STEEL

☐ ASTM A240 GR. 304

☐ ASTM A240 GR. 316/316L

☐ DUPLEX SS

HUB & DOOR MATERIAL:

☐ ASTM A 350 LF2

☐ ASTM A 105

☐ ASTM A240 GR. 316/316

☐ DUPLEX SS

Other

BRACKETS AND HINGES MATERIAL:

☐ CARBON STEEL

☐ ASTM A240 GR. 304

☐ ASTM A240 GR. 316/316L

☐ DUPLEX SS

Other

GASEKT MATERIAL:

☐ EPDM

☐ NITRIL

☐ VITON

☐ SILICON

Other

CORROSION ALLOWANCE (mm):.....

INTERNAL LININGS

☐ EPOXY

☐ RUBBER

☐ OVERLAY

PAINT

☐ ERGIL SUPPLY

☐ CLIENT SUPPLY

Others

DESIGN SPECIFICATION:

	YES	NO
CE MARKING	☐	☐
ASME U STAMP	☐	☐
NACE MR 0175	☐	☐

ORIENTATION:

☐ 1. VERTICAL

☐ 2. HORIZONTAL

HINGE ORIENTATION

☐ 1. LEFT

☐ 2. RIGHT

QUANTITY:

TYPES OF CONNECTION

☐ BUTT WELDED

☐ FLANGED

OPTIONAL ON REQUEST

☐ HYDROSTATIC TEST

☐ IMPACT TEST

☐ INTERLOCK SYSTEM

☐ CLADDING ON SEAL SURFACES

☐ FOR DIAMETERS OVER 24"

☐ PRESSURE SAFETY VALV

-GEARBOX ☐

-HYDRAULIC ☐

-PNEUMATIC ☐

☐ SPARE PARTS

Configuration

MEDIUM:

SERVICE:

LETHAL ☐

SOUR ☐

SWEET ☐


CODE OR SPECIFICATION

☐ ASME SECTION VIII DIV. 1/2

STAMP

☐ ASME U

☐ PED



QOC DESING PRESSURE(Barg):

QOC DESING TEMPERATURE(°C):

MDMT (°C):


ENVIRONMENT TEMPERATURE (°C):

MAXIMUM ALLOWABLE WORKING

PRESSURE INTERNAL (Mpa):

MAJOR BARROL TH ICKNESS:

Quick Opening Closure RX1 General Details



Certificates & Standards



SPECIAL DETAILS:

REMARKS

Äger GmbH

Germany Head Office + R&D + Sales
Herzogspitalstraße 24
Munich 80331
Germany
+49 (0) 89 1250 15240
www.aager.de
sales@aager.de

Turkey Head Office + Sales
Ağaoğlu My Office 212
No: 3 B Blok /175
PK 34218 Güneşli – Bağcılar
Istanbul / Turkey
+90 212 485 40 07
+90 212 485 40 42
www.ergil.com
sales@aager.de

Turkey Factory + Engineering + R&D + Sales
Mersin Tarsus OSB.13.CD.NO:7
PK: 33540 Mersin, Turkey
+90 324 676 44 04
+90 324 676 44 03
sales@aager.de

UAE Sales + Warehouse
Jumeirah Lake Towers, X2 Tower 1906
P.O. Box: 123661 Dubai, UAE
+971 4 450 8051
+971 4 450 8041
sales@ergil.com

KSA Sales + Warehouse
Q1-14, The Business Quarter,
King Faisal Road,
Al Khalidiyyah Al Janubiyah,
Dammam, KSA
+966(0)13-816-3441
sales@ergil.com

