ergil.com
sales@ergil.com
+90 212 485 40 07
+90 212 485 4042
Ağaoğlu My Office 212 İş Merkezi
No:3 B Blok Kat:11 Ofis:175
P.K 34218 Güneşli -Bağcılar /
İSTANBUL / TURKEY

RFQ No/ Project	
Reference Datasheet	
Equipment Tag Numbers	
Quantity	

Separator & Filter Vessels

Certificates & Standards

ergil.com
sales@ergil.com
+90 212 485 40 07
+90 212 485 4042
Ağaoğlu My Office 212 İş Merkezi
No:3 B Blok Kat:11 Ofis:175
P.K 34218 Güneşli -Bağcılar /
İSTANBUL / TURKEY

Configuration

FLANGE FACE:
- ☐ RAISED FACE (RF)
- ☐ FLAT FACE (FF)

IN AND OUTLET CONNECTIONS:
- ☐ FLANGED
- ☐ FEMALE/MALE NPT
- ☐ GROOVED
- ☐ OTHER

OTHERS CONNECTIONS:

CONNECTION FOR	SIZE	FLANGED	THREADED
PRESSURE GAUGE	☐	☐	☐
DRAIN	☐	☐	☐
DPT	☐	☐	☐
VENT	☐	☐	☐
SEPERATOR OUTLET	☐	☐	☐

CARTRIDGE MATERIAL:
- ☐ S. STEEL 304
- ☐ S. STEEL 316/L

GASKET:
- ☐ NITRILE
- ☐ KLINGERSIL
- ☐ EPDM
- ☐ VITON
- ☐ PTFE

BODY MATERIAL:
- ☐ CARBON STEEL
- ☐ S. STEEL 304
- ☐ S. STEEL 316/L
- ☐ DUPLEX SS
- OTHERS .....

INERT MATERIAL:
- ☐ CARBON STEEL
- ☐ S. STEEL 304
- ☐ S. STEEL 316/L
- ☐ DUPLEX SS

HARDWARE MATERIAL:
- ☐ CARBON STEEL
- ☐ S. STEEL 304
- ☐ S. STEEL 316/L

ARRENGEMENT:
- ☐ 1. STAGE-COALESCER
- ☐ 2. STAGE-SEPERATOR

CLOSURE STYLE
- ☐ BLIND by BOLTS
- ☐ QUICK OPENING CLOSURE (QOC)
  - ☐ -RX1 (QOC)
  - ☐ -RX2 (QOC)

ACCESSORY
- ☐ PRESSURE GAUGE
- ☐ DIFFERANTIAL PRESSURE TRANSMITTER
- ☐ AIR VENT VALVE
- ☐ DRAIN VALVE
- ☐ SUMP
- ☐ PRESSURE SAFETY VALVE
- ☐ LEVEL INDICATOR
- ☐ TEMPERATURE INDICATOR
- ☐ PRESSURE RELIEF VALVE
- ☐ SKID SYSTEM
- ☐ WINTERISATION PROTECTION
- ☐ INSULATION

INTERNAL LININGS
- ☐ EPOXY
- ☐ RUBBER
- ☐ OVERLAY

CORROSION ALLOWANCE (mm): .....

PAINT
- ☐ CLIENT SUPPLY
- ☐ ERGIL SUPPLY

OTHERS .....

☐ -VERTICAL TYPE

☐ -HORIZONTAL TYPE

SIZE: IN/OUT

☐ -1"	☐ -4"	☐ -10"	☐ -16"	☐ -24"
☐ -2"	☐ -6"	☐ -12"	☐ -18"	
☐ -3"	☐ -8"	☐ -14"	☐ -20"	

ergil.com
sales@ergil.com
+90 212 485 40 07
+90 212 485 4042
Ağaoğlu My Office 212 İş Merkezi
No:3 B Blok Kat:11 Ofis:175
P.K 34218 Güneşli -Bağcılar /
İSTANBUL / TURKEY

Configuration

SERVICE .....

PRESSURE RELIEF VALVE (If Present):

SET VALUE FOR PRESSURE (mbar) .....

COALESCER FILTER
- LIQUID-LIQUID ☐
- GAS-LIQUID ☐
- GAS-GAS ☐

FLOW RATE(M3/Hr):

MIN ..... % MAX ..... % FLOW

PATTERN:
- CONTINUOUS ☐
- INTERMITTENT ☐



CODE OR SPECIFICATION
- ☐ ASME SECTION VIII DIV. 1/2
- ☐ EN 13445
- ☐ AD 2000
- ☐ PD 5500

OTHER: .....

STAMP
- ☐ ASME U
- ☐ PED

DESING PRESSURE (Barg): .....

DESIGN TEMPERATURE(°C): .....

AMBIENT TEMPERATURE (°C): .....

MAXIMUM ALLOWABLE INITIAL PRESSURE DROP (2 bar): .....

*(Normal allowable pressure drop is 0,2 bar)

CATRIDGE CHANGE PERIOD
- ☐ 3 MONTHS
- ☐ 6 MONTHS
- ☐ 1 YEAR

IF THE MATERIALS ARE OTHER THAN THESE, PLEASE SPECIFY: .....

IF SIZE NOT SPECIFIED;

SPECIAL DESIGN FEATURES: .....

ergil.com
sales@ergil.com
+90 212 485 40 07
+90 212 485 4042
Ağaoğlu My Office 212 İş Merkezi
No:3 B Blok Kat:11 Ofis:175
P.K 34218 Güneşli -Bağcılar /
İSTANBUL / TURKEY

Coalescer Seperator Overall Sketch



Certificates & Standards

sales@ergil.com
+90 212 485 40 07
+90 212 485 4042
Ağaoğlu My Office 212 İş Merkezi
No:3 B Blok Kat:11 Ofis:175
P.K 34218 Güneşli -Bağcılar /
İSTANBUL / TURKEY

FEED COMPOSITIONS

REMARKS

ergil®
An Äager Brand

Äager GmbH

Germany Head Office + R&D + Sales
Herzogspitalstraße 24
Munich 80331
Germany
+49 (0) 89 1250 15240
www.aager.de
sales@aager.de

Turkey Head Office + Sales
Ağaoğlu My Office 212
No: 3 B Blok /175
P.K 34218 Güneşli – Bağcılar
Istanbul / Turkey
+90 212 485 40 07
+90 212 485 40 42
www.ergil.com
sales@aager.de

Turkey Factory + Engineering + R&D + Sales
Mersin Tarsus OSB.13.CD.NO:7
P.K: 33540 Mersin, Turkey
+90 324 676 44 04
+90 324 676 44 03
sales@aager.de

U.A.E. Sales + Warehouse
Jumeirah Lake Towers, X2 Tower 1906
P.O. Box: 123661 Dubai, U.A.E.
+971 4 450 8051
+971 4 450 8041
sales@ergil.com