

Aviation Micro Filter & Coalescer **Separator Vessels**



Product Description

ERGIL® Micro Filter Water Separator's compact design, and high efficient internals performs longer than most of the competitor products thanks to its specially designed cartridge filters.

It is specially designed for Aviation industry to filter and separate water from Jet A1, A and other products.

We provide various design solutions; such as ASME, AD-2000, GOST-R and can provide ASME U Stamp.

Thanks to ERGIL RX quick opening closures, changing cartridges, inspection and maintenance have never been so easy.

ERGIL brings more than 35 years of experience to meeting your Aviation Micro Filter & Coalescer Seperator Vessel needs.

ERGIL Micro Filter & Coalescer Seperator Vessels design innovations have evolved from one of the most experienced engineering departments in the industry.

ERGIL Micro Filter & Coalescer Seperator Vessels is ISO 9001 Certified facilities utilize cutting-edge 3D computer modeling technology and state-of-the art fabrication equipment.

ERGIL Filter and Seperators is backed by the dynamic solutions and modernized tech and it is Turkish made product created by dedicated team with a philosophy of excellence to meet and exceed ERGIL's client's expectations.







Product Benefits

As a result of over 30 years continous research & development to meet the required performance in the aviation fuel handling industry. ERGIL Aviation Micro Filters & Coalescer Seperators along with proven field performance, shows its ability to provide the best quality products that exceeds and meets client's requirements for installations in refineries, bulk storage terminals, heliports, airports, etc.

Design & Manufacturing Specifications

- ASME, AD-2000, GOST-R stamp and certification in design and manufacture.
- Carbon steel fabrication or other durable materials avaiable on request.
- Rod or screw base coalescer with cartridge mounted
- Permanently marked inlet, outlet and drain connec-
- Swing bolt head open/closures.
- Buna-N O-Ring Closure seal against extreme pres-
- Sloping cartridge plate system to drain connection.
- Connections provided for the following options: Automatic air eliminator, Differential pressure gauge, Pressure relief valve, Pilot control valve, pilot tester, Water slug control valve, Electrical water-level alarm, liquid level gauge, Water drain valves, etc.




Key Features

- Safe and quick operation using tested technique.
- Easy installation and maintenance.
- Quick opening / closure options in excessive pressure levels.
- Alternative degrees of filtration available by changing element type.
- Economic due to increased surface area.
- Long life time because high solid holding capacity.
- Reliable Performance.





Technical Drawing



Weight & Dimensions

DATA									
FLOW RATE		REQUIRED CARTI	HOUSING LIQUID		HOUSING DRY WEIGHT		HOUSING TYPE		
		COALESCER	SEPARATOR	VOLUME					
gpm	lpm	qty.	qty	gals.	Itrs.	gals.	Itrs.		
609	2305	5	2	165	625	1200	544	Vertical Dished Housing	

INLET OUTLET DIAMETER		MAIN DRAIN	DIMENTIONS									
			Α		В		С		D		E	
in.	mm.	in.	in.	mm.	in.	mm.	in.	mm.	in.	mm.	in.	mm.
6	152	3/4	26	660	103½	2629	9	229	16	406	36	914



